PUJARA WIRTH TORKE, INC.
Engineers Architects
13100 Watertown Plank Road
ELM GROVE, WI 53122
PHONE (262) 641-0750 FAX (262) 641-0584
E-mail: pujarainc@sbcglobal.net

PROJ. NO. P9646 (EO) SHEET NO. 101 OF 105

SUBJECT TWO (2) PROPOSED 1-TON JIB CRANES FOR TOOLROOM - HARLEY DAVIDSON PILGRIM RD. PLANT

BY DJT DATE 2/9/10



1/101 PARTIAL MEZZ. FRAMING PLAN SHOWING NEW 1 TON JIB CRANE SUSPENDED FROM MEZZ. PURLINS

Darrel Iwanski

PUJARA WIRTH TORKE, INC.
Engineers Architects
933 N. Mayfair Road
WAUWATOSA, WI 53226
PHONE (414) 453-4556 FAX (414) 453-0682
E-mail: pujara@execpc.com

PROJ. NO. P9646 (EO) SHEET NO. 102 OF 105

SUBJECT (1) 1 TON (NEW) 360° ROTATING JIB CRANE. HARLEY - PILGRIM

BY DP DATE 02/10



Darrel Iwanski

PUJARA WIRTH TORKE, INC.
Engineers Architects
13100 Watertown Plank Road
ELM GROVE, WI 53122
PHONE (262) 641-0750 FAX (262) 641-0584
E-mail: pujarainc@sbcglobal.net

PROJ. NO. P9646 (EO) SHEET NO. 103 OF 105

SUBJECT 1 TON 360° ROTATING, SUSPENDED JIB CRANE (NEW). HARLEY DAVIDSON PILGRIM PLANT BY DJP DATE 02.09.10



SECTION 'B'
1½" = 1'-0"

(B/103) PARTIAL MEZZANINE FRAMING PLAN W./ JIB CRANE SUPPORTS (16.5)

PUJARA WIRTH TORKE, INC.
Engineers Architects
13100 Watertown Plank Road
ELM GROVE, WI 53122
PHONE (262) 641-0750 FAX (262) 641-0584
E-mail: pujarainc@sbcglobal.net

PROJ. NO. P9646(EO) SHEET NO. 103A OF 105

SUBJECT 1 TON 360° ROTATING, UNDERHUNG JIB CRANE (NEW). HARLEY DAVIDSON - PILGRIM PLANT. BY JR DATE 02.12.10



1/103A PARTIAL FRAMING DETAIL PLAN FOR UNDERHUNG 1 TON JIB CRANE - MEZZANINE PURLINS.

NOTE: WORK THIS DETAIL W./ SHEET # 103 OF 105

PUJARA WIRTH TORKE, INC.
Engineers Architects
13100 Watertown Plank Road
ELM GROVE, WI 53122
PHONE (262) 641-0750 FAX (262) 641-0584
E-mail: pujarainc@sbcglobal.net

PROJ. NO. P9646 (EO) SHEET NO. 104 OF 105

SUBJECT (1). 1 TON (NEW) 360° ROTATING JIB CRANE. HARLEY-DAVIDSON-PILGRIM UNDER MEZZ. BY DP DATE 02/10



SECTION "C"
3"=1'-0"

C / 104

PARTIAL ENLARGED DETAIL @ JIB CRANE (360° ROTATION) HEAD PL

STRUCTURAL NOTES:

1.) STRUCTURAL & MISC. STEEL: (PRIME PAINTED) Fy = 36 ksi, (OPTION Fy=50 ksi)
2.) CONNECTION BOLTS: A325 AND A449 (SEE SHT. #103)
3.) WELDS: PER "AWS" BY CURRENTLY CERTIFIED WELDERS FOR THIS TYPE OF WORK.
4.) PHYSICAL DIMENSIONS:

MEMBER	d	b_f	t_f	t_w	"T"
W27x94	26⅞"	10"	¾"	½"	24"
W12x40	12"	8"	½"	5/16"	9½"



Darrel Iwanski

PUJARA WIRTH TORKE, INC.
Engineers Architects
13100 Watertown Plank Road
ELM GROVE, WI 53122
PHONE (262) 641-0750 FAX (262) 641-0584
E-mail: pujarainc@sbcglobal.net

PROJ. NO. P9646 (EO) SHEET NO. 105 OF 105

SUBJECT E-180 JIB CRANE CONN. DETAIL
HARLEY-DAVIDSON, PILGRIM Rd.

BY DJP DATE 2/4/10





WIDE FLANGE BEAMS

ASTM A36 & A992

W SHAPES
Dimensions

Designation	Area A	Depth d		Web Thickness t_w		$\frac{t_w}{2}$	Flange Width b_f		Flange Thickness t_f		Distance T	Distance k	Distance k_1
	In.²	In.		In.		In.	In.		In.		In.	In.	In.
W 12x 14	4.16	11.91	11⅞	0.200	3/16	1/8	3.970	4	0.225	1/4	10⅜	¾	9/16
x 16	4.71	11.99	12	0.220	1/4	1/8	3.990	4	0.265	1/4	10⅜	13/16	9/16
x 19	5.57	12.16	12⅛	0.235	1/4	1/8	4.005	4	0.350	3/8	10⅜	⅞	9/16
x 22	6.48	12.31	12¼	0.260	1/4	1/8	4.030	4	0.425	7/16	10⅜	15/16	⅝
W 12x 26	7.65	12.22	12¼	0.230	1/4	1/8	6.490	6½	0.380	3/8	10⅛	1 1/16	¾
x 30	8.79	12.34	12⅜	0.260	1/4	1/8	6.520	6½	0.440	7/16	10⅛	1⅛	¾
x 35	10.3	12.50	12½	0.300	5/16	3/16	6.560	6½	0.520	½	10⅛	1 3/16	¾
W 12x 40	11.7	11.94	12	0.295	5/16	3/16	8.005	8	0.515	½	9¼	1⅜	⅞
x 45	13.1	12.06	12	0.335	5/16	3/16	8.045	8	0.575	9/16	9¼	1⅜	15/16
x 50	14.6	12.19	12¼	0.370	3/8	3/16	8.080	8⅛	0.640	⅝	9¼	1½	15/16
W 12x 53	15.6	12.06	12	0.345	3/8	3/16	9.995	10	0.575	9/16	9¼	1⅜	15/16
x 58	17.0	12.19	12¼	0.360	3/8	3/16	10.010	10	0.640	⅝	9¼	1½	15/16
W 12x 65	19.1	12.12	12⅛	0.390	3/8	3/16	12.000	12	0.605	⅝	9⅛	1½	1
x 72	21.1	12.25	12¼	0.430	7/16	¼	12.040	12	0.670	11/16	9⅛	1 9/16	1 1/16
x 79	23.2	12.38	12⅜	0.470	½	¼	12.080	12⅛	0.735	¾	9⅛	1⅝	1 1/16
x 87	25.6	12.53	12½	0.515	½	¼	12.125	12⅛	0.810	13/16	9⅛	1 11/16	1 1/16
x 96	28.2	12.71	12¾	0.550	9/16	5/16	12.160	12⅛	0.900	⅞	9⅛	1 13/16	1⅛
x106	31.2	12.89	12⅞	0.610	⅝	5/16	12.220	12¼	0.990	1	9⅛	1⅞	1⅛
x120	35.3	13.12	13⅛	0.710	11/16	⅜	12.320	12⅜	1.105	1⅛	9⅛	2	1 3/16
x136	39.9	13.41	13⅜	0.790	13/16	7/16	12.400	12⅜	1.250	1¼	9⅛	2⅛	1¼
x152	44.7	13.71	13¾	0.870	⅞	7/16	12.480	12½	1.400	1⅜	9⅛	2 5/16	1¼
x170	50.0	14.03	14	0.960	15/16	½	12.570	12⅝	1.560	1 9/16	9⅛	2 7/16	1 5/16
x190	55.8	14.38	14⅜	1.060	1 1/16	9/16	12.670	12⅝	1.735	1¾	9⅛	2⅝	1⅜
x210	61.8	14.71	14¾	1.180	1 3/16	⅝	12.790	12¾	1.900	1⅞	9⅛	2 13/16	1 7/16
x230	67.7	15.05	15	1.285	1 5/16	11/16	12.895	12⅞	2.070	2 1/16	9⅛	2 15/16	1½
x252	74.0	15.41	15⅜	1.395	1⅜	11/16	13.005	13	2.250	2¼	9⅛	3⅛	1½
x279	81.9	15.85	15⅞	1.530	1½	¾	13.140	13⅛	2.470	2½	9⅛	3⅜	1⅝
x305	89.6	16.32	16⅜	1.625	1⅝	13/16	13.235	13¼	2.705	2 11/16	9⅛	3⅝	1⅝
x336	98.8	16.82	16⅞	1.775	1¾	⅞	13.385	13⅜	2.955	2 15/16	9⅛	3⅞	1 11/16