

Determine Radiation Dose Using a Posted Dosimeter

ACADs (08-006) Covered

Keywords

Description

Supporting Material

Headquartered at Indian River State College | 3209 Virginia Avenue Fort Pierce, FL 34981 | 772-462-7172

www.gonuke.org



This material is based upon work supported by the National Science Foundation under Grant No. 1104238. Any opinions, findings, conclusions or recommendations expressed in this material are those of the author(s) and do not necessarily reflect the views of the National Science Foundation.

implemented by the U.S. Department of Labor's Employment and Training Administration. The solution was created by the grantee and does not necessarily reflect the official position of the U.S. Department of Labor. The Department of Labor makes no guarantees, warranties, or assurances of any kind, express or implied, with respect to such information, including any information on linked sites and including, but not limited to, accuracy of the information or its completeness, timeliness, usefulness, adequacy, continued availability, or ownership. This solution is copyrighted by the institution that created it. Internal use by an organization and/or personal use by an individual for non-commercial purposes is permissible. All other uses require the prior authorization of the copyright owner.

Module 9: Determine Dose to the Skin

Table of Contents:

Resources Key	2
Module Readings and Homework	2
Primary Scenario “Determine Dose to the Skin from an Exposure to a Discrete Radioactive Fuel Particle”	2
Transfer Scenario “Determine Dose to the Skin from an Exposure to a Discrete Radioactive Particle of Co-60”	2
Module Assessment Items	3
Primary Scenario “Determine Dose to the Skin from an Exposure to a Discrete Radioactive Fuel Particle”	3
ACAD References	5

Resources Key

This refers to:	This reference:
ACAD	National Academy for Nuclear Training, <u>Uniform Curriculum Guide for Nuclear Power Plant Technician, Maintenance, and Nonlicensed Operations Personnel Associate Degree Programs</u> , ACAD 08-006.
DOE-SG	Office of Environmental, Safety and Health: Radiological Control Technician Training Site Academic Training Study Guide Phase I, Project Number TRNG-0003 Available at: http://nsedu.rnet.missouri.edu/docshare/ . File is located under the Docs/General Curriculum/DOE materials folder.
G.	Gollnick, D. (2006). <u>Basic Radiation Protection Technology, 5th Ed.</u> Pacific Radiation Corporation, Altadena, CA.

Module Readings and Homework

Primary Scenario “Determine Dose to the Skin from an Exposure to a Discrete Radioactive Fuel Particle”

Core Concept: Radiation interactions with tissue		
Readings	Homework (end of chapter)	
	Calculation Items	Non-calculation Items
G. Chap 4, 83-92 DOE-SG-Mod 1.08-3 to 1.08-7	G. Chap 4, page 88, sample problem 2	G. Chap 4, page 86, sample problem 1 G. Chap 4, # 2, 4
Core Concept: Radio-sensitivity of cells		
Readings	Homework (end of chapter)	
	Calculation Items	Non-calculation Items
G. Chap 4, 90-92 DOE-SG-Mod 1.08-7 to 1.08-8		G. Chap 4, # 6, 8
Core Concept: Skin dose		
Readings	Homework (end of chapter)	
	Calculation Items	Non-calculation Items
G. Chap 5, 146-148	G. Chap 5, page 148, sample problem 8	G. Chap 8, # 21
G. Chap A-2, 810-815	G. Chap 5, # 9	

Transfer Scenario “Determine Dose to the Skin from an Exposure to a Discrete Radioactive Particle of Co-60”

Refer to readings and homework for primary scenario above.

Module Assessment Items

Note: If instructors wish to increase the difficulty of any item, then we suggest you use it as the basis for an in-class discussion, and / or require students to write an explanation for why a particular choice is correct.

Primary Scenario “Determine Dose to the Skin from an Exposure to a Discrete Radioactive Fuel Particle”

1. What characteristics do all discrete radioactive particle (DRP) have? Select ALL that are correct.
 - a. Low levels of radioactivity
 - b. Microscopic in size CORRECT
 - c. Large alpha decay component
 - d. High energy gamma emission
 - e. Beta emissions CORRECT
 - f. Highly charged particle CORRECT
 - g. Exposes large areas of skin

2. A radiation worker has contamination on the outside surface of his worker’s glove from a discrete hot particle. What would you do in assigning skin dose?
 - a. The skin dose can be assumed to be negligible due to glove attenuation
 - b. The skin dose can’t be calculated and must be estimated
 - c. The skin dose should be calculated assuming the glove is not present
 - d. The skin dose can be calculated based upon radiation attenuation by the glove. (CORRECT)

3. Why did you choose the response above for assigning skin dose? Select ALL that apply.
 - a. The number of beta particles reaching the skin will decrease (CORRECT)
 - b. There will be little effect on the skin dose because the gamma-rays will easily penetrate the glove.
 - c. The energy of the beta particles will be reduced from attenuation through the glove (CORRECT)
 - d. The thickness of a glove will stop all beta particles from a discrete hot particle.

4. You have been asked to develop a new computer program to calculate dose to the skin from skin contamination. What are some of the parameters that will be needed in your code to calculate dose? Select ALL that apply.
 - a. The gamma-ray exposure coefficient for calculating dose from gamma-rays
 - b. The range of beta particles CORRECT
 - c. The penetration ability of alpha particles

- d. The dose as a function of depth in skin CORRECT
 - e. The types of cells in the skin receiving the dose.
 - f. The amount of clothing between the hot particle and the skin CORRECT
 - g. The distance a hot particle is from the skin CORRECT
 - h. The energy of beta particles CORRECT
5. Why is it important to know the energy of beta particles coming from the DRP to accurately assess skin dose? Select ALL that apply.
- a. The energy is important to calculating the amount of dose delivered as a function of depth in skin. (CORRECT)
 - b. The energy is needed to determine if the beta particles can penetrate any clothing covering the skin. (CORRECT)
 - c. The energy is likely to be monoenergetic, so the precise depth of penetration of the beta particles can be calculated.
 - d. The energy remaining in the beta particles as they pass through the basal layer is needed to calculate dose. (CORRECT)
6. A new model has been developed to predict the amount of energy deposited in the basal layer of skin from a hot particle. This calculation estimates 10^{-8} J of energy deposited in a 1 cm^2 area over the basal layer depth of 0.002 cm. Assume a tissue density of 1 gm/cm^3 . What is the dose to the skin in Gy and Rads?

Answer – Recall, dose is defined as energy deposited per unit of mass.

$$\text{Volume of skin exposed} = 1 \text{ cm}^2 \times 0.002 \text{ cm} = 0.002 \text{ cm}^3$$

$$\text{Mass of skin exposed} = 0.002 \text{ cm}^3 \times 1 \text{ gm/cm}^3 = 0.002 \text{ gm} = 2 \times 10^{-6} \text{ kg}$$

$$\text{Dose} = \text{energy/mass} = 10^{-8} \text{ J} / 2 \times 10^{-6} \text{ kg} = 0.05 \text{ J/kg} \times 1 \text{ Gy/(J/kg)} = 0.05$$

Gy

$$\text{Dose} = 0.05 \text{ Gy} \times 100 \text{ Rads/Gy} = 5 \text{ Rad}$$

7. Rate the following cell types from most to least radiosensitive.

Cell Type:	Rate from most (1) to least (5) radiosensitive:
Skin cells	
Fetal tissue	
Bone	
Nerves	
Blood cells	

Answer:

Skin cells 3

Fetal tissue 1

Bone 4

Nerves 5

Blood cells 2

ACAD References

ACAD
3.3.4 BIOLOGICAL EFFECTS AND RISKS ASSOCIATED WITH EXPOSURE TO IONIZING RADIATION
<ul style="list-style-type: none"> Describe the mechanisms of radiation interactions with cells (primary, secondary/free radicals). Identify cell characteristics that affect radiosensitivity (cells with a longer dividing future, division rate and cell type).
3.3.12 RADIOLOGICAL INCIDENT EVALUATION AND CONTROL
<ul style="list-style-type: none"> Describe how to estimate skin dose resulting from skin contamination including hot particles.
3.3.13 DECONTAMINATION
<ul style="list-style-type: none"> Identify conditions in which skin dose calculations should be performed as a result of skin contamination.